



# MIG WELDING WIRE


ARVIN JOOSH GARMSAR

G3Si1

SG2

ER70S-6

0.8 mm  
1.0 mm  
1.2 mm




## SPECIFICATIONS


### Chemical Composition:

C	Si	Mn	S	P
0.06 - 0.12	0.80 - 1.00	1.30 - 1.60	<0.02	<0.02


### Mechanical Properties:

Tensile Stress	Yield Stress	Elongation	KV <sub>2</sub> (-30°C)
500 - 600 MPa	420 MPa	>22 %	>60 J

 Made in IRAN

 +989108108215

 [www.garmsarspring.com](http://www.garmsarspring.com)  [info@garmsarspring.com](mailto:info@garmsarspring.com)

 Garmsar, FAJR industrial zone

 023-31439